



## Service Cable Covered Line Wire

<b>Weatherproof Aluminum Conductor</b>								
Standards: Insulated Cable Engineers Association (ICEA) -- S70-547								
CODE WORD	BASE PRICE PER 1000 FEET (1) (2)		CONDUCTOR TYPE	Size and Stranding AWG/KCMIL	Insulation Thickness Inches	APPROXIMATE NET WEIGHT LBS. PER 1000 FEET		
	LDPE	XLPE				Aluminum	Total	
							LDPE	XLPE
APRICOT	260.00	274.00	AAC	4-7	0.03	39	50	51
BUTTERNUT	321.00	371.00	ACSR	4-6/1	0.03	39	71	72
HICKORY	365.00	427.00	ACSR	4-7/1	0.03	38	80	82
HORNBEAM	315.00	339.00	6201	4-7	0.03	45	59	60
PEACH	361.00	408.00	AAC	2-7	0.045	61	83	85
PIGNUT	452.00	501.00	ACSR	2-6/1	0.045	61	116	118
LINDEN	454.00	490.00	6201	2-7	0.045	71	91	100
QUINCE	513.00	596.00	AAC	1/0-7	0.06	97	134	137
ALMOND	585.00	708.00	ACSR	1/0-6/1	0.06	97	187	191
OILNUT	671.00	714.00	6201	1/0-7	0.06	113	157	161
ORANGE	660.00	846.00	AAC	2/0-7	0.06	122	164	167
PECAN	742.00	810.00	ACSR	2/0-6/1	0.06	123	231	233
WATERASH	752.00	847.00	6201	2/0-7	0.06	143	193	198
FIG	826.00	1,057.00	AAC	3/0-7	0.06	154	202	206
FILBERT	930.00	1,010.00	ACSR	3/0-6/1	0.06	154	285	291
SHELLBARK	983.00	1,057.00	6201	3/0-7	0.06	181	238	243
OLIVE	827.00	1,158.00	AAC	4/0-7	0.06	194	248	253
BUCKEYE	967.00	1,175.00	ACSR	4/0-6/1	0.06	194	353	359
PLANETREE	1,137.00	1,283.00	6201	4/0-7	0.06	227	293	299
MULBERRY	1,252.00	1,273.00	AAC	266.8-19	0.06	246	300	304
ANONA	1,468.00	1,510.00	AAC	336.4-19	0.06	310	371	376
MOLLES	1,612.00	1,638.00	AAC	397.5-19	0.08	366	454	462
HUCKLEBERRY	2,186.00	2,251.00	AAC	477-37	0.08	439	529	544
PAW PAW	2,215.00	2,451.00	AAC	556.5-37	0.08	512	610	618
BREADFRUIT	2,762.00	2,903.00	AAC	636-61	0.095	585	705	716
PERSIMMON	3,267.00	3,423.00	AAC	795-61	0.095	731	865	877
GRAPEFRUIT	3,698.00	4,046.00	AAC	1033.5-61	0.095	951	1103	1115

1. Prices for other constructions available on inquiry.
  2. Packaging information is shown on reverse side of this page.
- Note: For high density polyethylene (HDPE) pricing add 6% to the LDPE price.



## Service Cable Covered Line Wire

<b>Alternate Standard Packages</b>								
CODE WORD	Package Type/Size	Footage	Conductor Pounds		Package Type/Size	Footage	Conductor Pounds	
			LDPE	XLPE			LDPE	XLPE
APRICOT	NRC 30.18	7000	370	390	Coil	2500	125	128
BUTTERNUT	NRC 30.18	6200	448	468	Coil	2200	156	158
HICKORY	NRC 30.18	6000	490	510	Coil	2000	160	164
HORNBEAM	NRC 30.18	6200	375	396	Coil	2200	130	132
PEACH	NRC 36.24	7500	657	700	Coil	1500	125	128
PIGNUT	NRC 36.24	6700	797	837	Coil	1200	139	142
LINDEN	NRC 36.24	6700	670	710	Coil	1000	97	100
QUINCE	NRC 36.24	4700	663	710	Coil	1000	134	137
ALMOND	NRC 36.24	4000	764	808	Coil	1000	187	191
OILNUT	NRC 36.24	4000	648	688	Coil	1000	157	161
ORANGE	NRC 36.24	3800	657	699				
PECAN	NRC 36.24	3400	799	840				
WATERASH	NRC 36.24	3400	673	714				
FIG	NRC 40.24	4400	933	986				
FILBERT	NRC 40.24	3900	1131	1186				
SHELLBARK	NRC 40.24	3900	948	1002				
OLIVE	NRC 40.24	3500	913	962				
BUCKEYE	NRC 40.24	3000	1080	1125				
PLANETREE	NRC 40.24	3000	901	947				
MULBERRY	NRC 40.24	3000	945	987				
ANNONA	NRC 40.24	2500	922	1012				
MOLLES	NRC 40.24	2000	934	984				
HUCKLEBERRY	NRC 50.32	3300	1812	1888				
PAW PAW	NRC 50.32	2800	1770	1840				
BREADFRUIT	NRC 50.32	2500	1832	1910				
PERSIMMON	NRC 50.32	2200	1980	2570				
GRAPEFRUIT	NRC 50.32	1700	1950	2018				

## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474  
 Alcan Cable Specification Sheet #AC-0004 and #AC-0006



CODE WORD	BASE PRICE PER 1000 FEET (1)(2)		Power Conductor Size -Stranding AWG/kcmil	Neutral Messenger Type-Size Stranding	Insulation Thickness Inches	Approximate Net Weight LBS. PER 1000 Feet		
	LDPE	XLPE				Aluminum	Total	
							LDPE	XLPE
<b>Duplex</b>								
SETTER	409.00	445.00	6-1	ACSR 6-6/1	0.045	49	71	72
COLLIE	357.00	389.00	6-7	AAC 6-7	0.045	48	62	63
CHIHUAHUA	415.00	462.00	6-1	6201 6-7	0.045	52	63	64
SHEPHERD	470.00	513.00	6-7	ACSR 6-6/1	0.045	49	74	75
VIZSLA	427.00	468.00	6-7	6201 6-7	0.045	52	66	67
SPANIEL	455.00	480.00	4-7	AAC 4-7	0.045	77	94	96
TERRIER	490.00	536.00	4-7	ACSR 4-6/1	0.045	78	113	114
WHIPPET	548.00	597.00	4-7	6201 4-7	0.045	84	101	102
CHOW	643.00	755.00	2-7	ACSR 2-6/1	0.045	123	174	177
<b>Triplex</b>								
PATELLA	574.00	595.00	6-7	AAC 6-7	0.045	73	101	104
HIPPA	596.00	671.00	6-7	6201 6-7	0.045	77	105	107
VOLUTA	597.00	681.00	6-7	ACSR 6-6/1	0.045	73	112	115
OYSTER	760.00	827.00	4-7	AAC 4-7	0.045	116	151	154
WHELK	827.00	854.00	4-1	ACSR 4-6/1	0.045	115	161	163
PERIWINKLE	790.00	949.00	4-7	ACSR 4-6/1	0.045	116	169	172
SCALLOP	679.00	715.00	4-1	ACSR 6-6/1	0.045	100	139	142
BARNACLES	812.00	885.00	4-7	6201 4-7	0.045	122	157	160
STROMBUS	774.00	854.00	4-7	ACSR 6-6/1	0.045	102	148	151
ARTEMIA	583.00	638.00	4-1	6201 6-7	0.045	104	132	134
CRAB	760.00	798.00	4-7	6201 6-7	0.045	106	141	144
CLAM	897.00	980.00	2-7	AAC 2-7	0.045	184	228	232
CONCH	1030.00	1125.00	2-7	ACSR 2-6/1	0.045	184	257	262
COCKLE	893.00	1023.00	2-7	ACSR 4-6/1	0.045	162	224	228
SHRIMP	1019.00	1111.00	2-7	6201 2-7	0.045	194	238	243
SOLASTER	983.00	1072.00	2-7	6201 4-7	0.045	168	212	216
MUREX	1321.00	1439.00	1/0-7	AAC 1/0-7	0.060	293	367	374
NERITINA	1369.00	1439.00	1/0-7	ACSR 1/0-6/1	0.060	294	414	420
JANTHINA	1284.00	1350.00	1/0-7	ACSR 2-6/1	0.060	257	360	367
GAMMARUS	1489.00	1600.00	1/0-7	6201 1/0-7	0.060	310	384	390
SANDCRAB	1339.00	1416.00	1/0-7	6201 2-7	0.060	267	341	348
PURPURA	1514.00	1611.00	1/0-19	AAC 1/0-7	0.060	293	362	368
CENIA	1472.00	1545.00	1/0-19	ACSR 1/0-6/1	0.060	293	408	414
RANELLA	1411.00	1554.00	1/0-19	ACSR 2-6/1	0.060	257	356	361
LEDA	1616.00	1697.00	1/0-19	6201 1/0-7	0.060	309	378	384
ECHINUS	1476.00	1548.00	1/0-19	6201 2-7	0.060	267	336	342

1. Prices for other constructions available on inquiry.

2. Packaging information is shown on reverse side of this page.

Note: For high density polyethylene (HDPE) pricing add 6% to the LDPE price.

## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474  
 Alcan Cable Specification Sheet #AC-0004 and #AC-0006



<b>Alternate Standard Package- Duplex</b>								
CODE WORD	Package Type/Size	Footage	Conductor Pounds		Package Type/Size	Footage	Conductor Pounds	
			LDPE	XLPE			LDPE	XLPE
SETTER	NRC 30.18	3300	234	238	Coil	1000	71	72
COLLIE	NRC 30.18	3300	205	208	Coil	1000	62	63
CHIHUAHUA	NRC 30.18	3500	221	224	Coil	1000	63	64
SHEPHERD	NRC 30.18	3300	244	248	Coil	1000	74	75
VIZSLA	NRC 30.18	3300	218	221	Coil	1000	66	67
SPANIEL	NRC 30.18	2200	207	211	Coil	1000	94	96
TERRIER	NRC 30.18	2400	271	274	Coil	1000	113	114
WHIPPET	NRC 30.18	2400	242	274	Coil	1000	101	102
CHOW	NRC 36.24	2400	418	425	Coil	500	87	89
<b>Alternate Standard Package- Triplex</b>								
PATELLA	NRC 30.18	2200	222	229	Coil	1000	101	104
HIPPA	NRC 30.18	2200	231	235	Coil	1000	105	107
VOLUTA	NRC 30.18	2200	246	253	Coil	1000	112	115
OYSTER	NRC 30.18	1500	227	231	Coil	500	76	77
WHELK	NRC 30.18	1700	274	277	Coil	500	81	82
PERIWINKLE	NRC 30.18	1500	254	258	Coil	500	85	86
SCALLOP	NRC 30.18	1700	236	241	Coil	500	70	71
BARNACLES	NRC 30.18	1500	236	240	Coil	500	79	80
STROMBUS	NRC 30.18	1500	222	227	Coil	500	74	76
ARTEMIA	NRC 30.18	1700	224	228	Coil	1000	132	134
CRAB	NRC 30.18	1500	212	216	Coil	1000	141	144
CLAM	NRC 36.24	1800	410	410	Coil	500	114	116
CONCH	NRC 36.24	1800	463	472	Coil	500	129	131
COCKLE	NRC 36.24	1800	403	112	Coil	500	112	114
SHRIMP	NRC 36.24	1500	428	437	Coil	500	119	122
SOLASTER	NRC 36.24	1800	382	389	Coil	500	106	108
MUREX	NRC 36.24	1200	440	449	Coil	500	184	187
NERITINA	NRC 36.24	1200	497	504	Coil	500	207	210
JANTHINA	NRC 36.24	1200	432	440	Coil	500	180	184
GAMMARUS	NRC 36.24	1200	461	468	Coil	500	192	195
SANDCRAB	NRC 36.24	1200	409	418	Coil	500	171	174
PURPURA	NRC 36.24	1200	434	442	Coil	500	181	184
CENIA	NRC 36.24	1200	490	497	Coil	500	204	207
RANELLA	NRC 36.24	1200	427	433	Coil	500	178	181
LEDA	NRC 36.24	1200	454	461	Coil	500	189	192
ECHINUS	NRC 36.24	1200	404	410	Coil	500	168	171



## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474  
 Alcan Cable Specification Sheet #AC-0004 and #AC-0006

<i>Triplex (cont.)</i>									
CODE WORD	BASE PRICE PER 1000 FEET		Power Conductor Size -Stranding AWG/kcmil	Neutral Messenger Type-Size Stranding	Insulation Thickness Inches	Approximate Net Weight LBS. PER 1000 FEET			
	(1) (2)					Aluminum	Total		
	LDPE	XLPE					LDPE	XLPE	
CAVOLINIA	1,642.00	1,725.00	2/0-7	ACSR 1-6/1	0.06	323	444	452	
CLIO	1,638.00	1,722.00	2/0-19	ACSR 1-6/1	0.06	323	437	444	
NASSA	1,733.00	1,820.00	2/0-7	AAC 2/0-7	0.06	369	453	461	
RUNCINA	1,755.00	1,844.00	2/0-7	ACSR 2/0-6/1	0.06	369	512	519	
DUNGENESE	1,593.00	1,660.00	2/0-7	6201 2/0-7	0.06	390	474	481	
TROPHON	1,631.00	1,706.00	2/0-19	AAC 2/0-7	0.06	369	447	453	
TRITON	1,721.00	1,807.00	2/0-19	ACSR 2/0-6/1	0.06	369	505	511	
CYCLOPS	1,686.00	1,734.00	2/0-19	6201 2/0-7	0.06	390	467	473	
FULGUR	1,826.00	1,901.00	3/0-19	6201 1/0-7	0.06	431	518	525	
MURSA	2,176.00	2,283.00	3/0-19	ACSR 3/0-6/1	0.06	466	626	633	
FLUSTRA	2,169.00	2,225.00	3/0-19	6201 3/0-7	0.06	502	588	596	
KINGCRAB	2,393.00	2,428.00	4/0-7	6201 4/0-7	0.06	619	728	737	
PORTUNUS	2,561.00	2,686.00	4/0-19	AAC 4/0-19	0.06	587	684	693	
ZUZARA	2,468.00	2,592.00	4/0-19	ACSR 4/0-6/1	0.06	587	777	785	
CERAPUS	2,238.00	2,350.00	4/0-19	ACSR 2/0-6/1	0.06	514	670	678	
LEPAS	2,617.00	2,747.00	4/0-19	6201 4/0-7	0.06	619	716	725	
ARCA	2,251.00	2,364.00	4/0-19	6201 2/0-7	0.06	535	632	640	
NANNYNOSE	4,689.00	4,801.00	336.4-19	AAC 336.4-19	0.08	933	1096	1111	
LIMPET	4,891.00	5,135.00	336.4-19	ACSR 336.4-18/1	0.08	933	1147	1161	

- Prices for other constructions available on inquiry.
  - Packaging information is shown on the reverse side of this page.
- NOTE: For high-density polyethylene insulation (HDPE) pricing, add 6% to the LDPE list price.



## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474

Alcan Cable Specification Sheet #AC-0004 and #AC-0006

<b>Alternate Standard Package Triplex (cont.)</b>				
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>	<b>Conductor Pounds</b>	
			<b>LDPE</b>	<b>XLPE</b>
CAVOLINIA	NRC 42.26	1500	666	678
CLIO	NRC 42.26	1500	656	666
NASSA	NRC 42.26	1500	680	691
RUNCINA	NRC 42.26	1500	768	779
DUNGENESE	NRC 42.26	1500	711	722
TROPHON	NRC 42.26	1500	671	680
TRITON	NRC 42.26	1500	758	767
CYCLOPS	NRC 42.26	1500	701	710
FULGUR	NRC 42.26	1300	673	683
MURSIA	NRC 42.26	1300	814	823
FLUSTRA	NRC 42.26	1300	764	775
KINGCRAB	NRC 42.26	1000	728	737
PORTUNUS	NRC 42.26	1000	684	693
ZUZARA	NRC 42.26	1000	777	785
CERAPUS	NRC 42.26	1000	670	678
LEPAS	NRC 42.26	1000	716	725
ARCA	NRC 42.26	1000	632	640
NANNYNOSE	NRC 50.32	1000	1,096	1,111
LIMPET	NRC 50.32	1000	1,147	1,161



## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474  
 Alcan Cable Specification Sheet #AC-0004 and #AC-0006

<b>Quadruplex</b>									
<b>CODE WORD</b>	<b>BASE PRICE PER 1000 FEET (1) (2)</b>		<b>Power Conductor Size -Stranding AWG/KCMIL</b>	<b>Neutral Messenger Type-Size Stranding</b>		<b>Insulation Thickness Inches</b>	<b>Approximate Net Weight LBS. PER 1000 FEET</b>		
	<b>LDPE</b>	<b>XLPE</b>					<b>Aluminum</b>	<b>Total</b>	
								<b>LDPE</b>	<b>XLPE</b>
CHOLA	799.00	969.00	6-7	ACSR	6-6/1	0.045	97	150	154
FRENCH-COACH	783.00	938.00	6-7	6201	6-7	0.045	100	144	147
QUARTER	756.00	860.00	6-1	AAC	6-7	0.045	96	131	134
PINTO	1,017.00	1,103.00	4-7	AAC	4-7	0.045	154	207	213
HACKNEY	973.00	1,101.00	4-7	ACSR	4-6/1	0.045	154	225	230
ARABIAN	1,052.00	1,208.00	4-7	6201	4-7	0.045	160	213	218
MUSTANG	1,321.00	1,405.00	2-7	AAC	2-7	0.045	246	312	318
PALOMINO	1,244.00	1,381.00	2-7	ACSR	2-6/1	0.045	246	341	347
BELGIAN	1,400.00	1,557.00	2-7	6201	2-7	0.045	256	322	328
CRIOLLO	2,070.00	2,164.00	1/0-19	AAC	1/0-7	0.06	390	494	503
COSTENA	2,187.00	2,278.00	1/0-19	ACSR	1/0-6/1	0.06	390	540	550
SHETLAND	2,176.00	2,263.00	1/0-19	6201	1/0-7	0.06	407	511	520
PERCHERON	2,447.00	2,608.00	2/0-19	AAC	2/0-7	0.06	492	608	618
GRULLO	2,572.00	2,649.00	2/0-19	ACSR	2/0-6/1	0.06	491	666	676
THOROUGHbred	2,525.00	2,608.00	2/0-19	6201	2/0-7	0.06	513	629	639
HANOVERIAN	2,909.00	3,006.00	3/0-19	AAC	3/0-19	0.06	620	750	761
SUFFOLK	3,039.00	3,128.00	3/0-19	ACSR	3/0-6/1	0.06	620	824	835
TROTTER	2,980.00	3,068.00	3/0-19	6201	3/0-7	0.06	646	776	787
OLDENBURG	3,505.00	3,609.00	4/0-19	AAC	4/0-19	0.06	782	928	941
APPALOOSA	3,638.00	3,747.00	4/0-19	ACSR	4/0-6/1	0.06	786	1021	1034
WALKING	3,609.00	3,717.00	4/0-19	6201	4/0-7	0.06	815	961	973
SINGLEFOOT	3,476.00	3,561.00	4/0-7	AAC	4/0-7	0.06	783	945	960
STALLION	3,531.00	3,620.00	4/0-7	ACSR	4/0-6/1	0.06	782	1038	1053
LIPPIZANER	6,327.00	6,553.00	336.4-19	AAC	336.4-19	0.08	1245	1491	1511
BRONCO	6,529.00	6,725.00	336.4-19	ACSR	336.4-18/1	0.08	1245	1539	1560
BRETON	6,405.00	6,557.00	336.4-19	6201	336.4-19	0.08	1298	1544	1565

1. Prices for other constructions available on inquiry.

2. Packaging information is shown on reverse side of this page.

NOTE: For high-density polyethylene insulation (HDPE) pricing, add 6% to the LDPE list price.



## Multiplex Overhead Aluminum Service Cable

Specification ICEA Standard S-76-474  
 Alcan Cable Specification Sheet #AC-0004 and #AC-0006

Alternate Standard Packages-Quadruplex								
CODE WORD	Package Type/Size	Footage	Conductor Pounds		Package Type/Size	Footage	Conductor Pounds	
			LDPE	XLPE			LDPE	XLPE
CHOLA	NRC 36.24	2200	315	323	Coil	500	75	77
FRENCH-COACH	NRC 36.24	2200	302	309	Coil	500	72	74
QUARTER	NRC 36.24	2200	275	281	Coil	500	66	67
PINTO	NRC 36.24	1700	352	362	Coil	500	104	107
HACKNEY	NRC 36.24	1700	383	391	Coil	500	113	115
ARABIAN	NRC 36.24	1700	362	371	Coil	500	107	109
MUSTANG	NRC 42.26	1800	562	572				
PALOMINO	NRC 42.26	1800	614	625				
BELGIAN	NRC 42.26	1800	580	590				
CRIOLO	NRC 42.26	1200	593	604				
COSTENA	NRC 42.26	1200	648	660				
SHETLAND	NRC 42.26	1200	613	624				
PERCHERON	NRC 50.32	1500	912	927				
GRULLO	NRC 50.32	1500	999	1014				
THOROUGHBRED	NRC 50.32	1500	944	959				
HANOVERIAN	NRC 50.32	1300	975	989				
SUFFOLK	NRC 50.32	1300	1071	1086				
TROTTER	NRC 50.32	1300	1009	1023				
OLDENBURG	NRC 50.32	1100	1021	1035				
APPALOOSA	NRC 50.32	1100	1130	1137				
WALKING	NRC 50.32	1100	1057	1070				
SINGLEFOOT	NRC 50.32	1100	1040	1056				
STALLION	NRC 50.32	1100	1142	1158				
LIPPIZANER	NRC 60.28	1100	1491	1511				
BRONCO	NRC 60.28	1000	1539	1560				
BRETON	NRC 60.28	1000	1544	1565				



**Reverse Twist Secondary Cables**  
 Specification ICEA #S-76-474

<b>Three Conductor RTS Cables: 6201 Alloy Neutral</b>								
<b>CODE WORD</b>	<b>BASE PRICE PER 1000 FEET</b>		<b>Aluminum Phase Conductor</b>		<b>Aluminum Neutral Conductor</b>		<b>Approximate Net Weight, Lbs. Per 1000 Feet</b>	
	<b>(1)(2)</b>		<b>Size and Stranding</b>	<b>Insulation Thickness</b>	<b>Size and Stranding</b>	<b>Rated Strength</b>	<b>Aluminum</b>	<b>Total</b>
	<b>XLPE</b>	<b>HDPE</b>	<b>AWG/KCMIL</b>	<b>Inches</b>	<b>AWG/KCMIL</b>			
POPE	1356.00	1341.00	2 - 7	45	77.47 - 7	2800	209	262
AUBURN	2024.00	1967.00	1/0 - 7	60	123.3 - 7	4450	327	419
ROCKNE	2420.00	2350.00	2/0 - 7	60	155.4 - 7	5380	410	510
DURANT	3281.00	3074.00	4/0 - 7	60	246.9 - 7	8550	644	777
PACKARD	4745.00	4500.00	336.4 - 19	80	394.5 - 19	13200	1021	1216
<b>Three Conductor RTS Cables: ACSR Neutral</b>								
EDSEL	1343.00	1306.00	2 - 7	45	2/6/2001	2850	228	281
ESSEX	1948.00	1881.00	1/0 - 7	60	1/0 - 6/1	4380	357	449
CORD	2296.00	2215.00	2/0 - 7	60	2/0 - 6/1	5300	448	549
REO	3250.00	3157.00	4/0 - 7	60	4/0 - 6/1	8350	705	834
<b>Four Conductor RTS Cables: ACSR Neutral</b>								
KETCH	1702.00	1662.00	2 - 7	45	2/6/2001	2850	292	369
SCHOONER	1755.00	1702.00	1/0 - 7	60	1/0 - 6/1	4380	457	593
SLOOP	1800.00	1755.00	2/0 - 7	60	2/0 - 6/1	5300	574	724
CUTTER	2498.00	2470.00	4/0 - 7	60	4/0 - 6/1	8350	906	1104

1. Prices for other constructions available on inquiry.
2. Packaging information is shown on reverse side of this page.



**Reverse Twist Secondary Cables**  
 Specification ICEA #S-76-474

<b>Three Conductor RTS Cables: 6201 Alloy Neutral</b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
POPE	NR 40.24	2000
AUBURN	NR 40.24	1200
ROCKNE	NR 48.28	1600
DURANT	NR 48.28	1000
PACKARD	NR 50.32	1000
<b>Three Conductor RTS Cables: ACSR Neutral</b>		
EDSEL	NR 40.24	2000
ESSEX	NR 40.24	1200
CORD	NR 48.28	1600
REO	NR 48.28	1000
<b>Four Conductor RTS Cables: ACSR Neutral</b>		
KETCH	NR 40.24	2000
SCHOONER	NR 40.24	1200
SLOOP	NR 48.28	1600
CUTTER	NR 48.28	1000



## 600 Volt Underground Single Conductor Aluminum Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C  
 Specification ICEA S-105-692

Refer to Specification Sheet UDS for Product Specifications

CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Inches	Aluminum	Total
		PRINCETON/XLP	<b>309.00</b>	6	0.060
MERCER/XLP	<b>369.00</b>	4	0.060	39	63
CLEMSON/XLP	<b>450.00</b>	2	0.060	62	92
KENYON/XLP	<b>533.00</b>	1	0.080	78	122
HARVARD/XLP	<b>605.00</b>	1/0	0.080	99	147
YALE/XLP	<b>732.00</b>	2/0	0.080	125	178
TUFTS/XLP	<b>810.00</b>	3/0	0.080	157	216
BELOIT/XLP	<b>943.00</b>	4/0	0.080	198	264
HOFSTRA/XLP	<b>1,247.00</b>	250	0.095	234	316
GONZAGA/XLP	<b>1,350.00</b>	300	0.095	281	369
RUTGERS/XLP	<b>1,572.00</b>	350	0.095	328	423
DARTMOUTH/XLP	<b>1,844.00</b>	400	0.095	375	476
EMORY/XLP	<b>2,105.00</b>	500	0.095	469	580
DUKE/XLP	<b>2,634.00</b>	600	0.110	563	702
FURMAN/XLP	<b>2,682.00</b>	700	0.110	657	808
SEWANEE/XLP	<b>2,739.00</b>	750	0.110	704	857
FORDHAM/XLP	<b>3,690.00</b>	1000	0.110	939	1114

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



## 600 Volt - Single Aluminum Conductor

Black Cross-Linked Polyethylene Insulated Phase Conductors-- 90°C  
 Specification ICEA S-105-692  
 Refer to Specification Sheet UDS for Product Specifications

CODE WORD	Package Type/Size	Footage
PRINCETON/XLP	NRC 16.15	1,000
MERCER/XLP	NRC 24.10	1,000
CLEMSON/XLP	NRC 24.10	1,000
KENYON/XLP	NRC 30.11	1,000
HARVARD/XLP	NRC 30.11	1,000
YALE/XLP	NRC 30.11	1,000
TUFTS/XLP	NRC 30.11	1,000
BELOIT/XLP	NRC 30.14	1,000
HOFSTRA/XLP	NRC 30.18	1,000
GONZAGA/XLP	NRC 30.18	1,000
RUTGERS/XLP	NRC 32.24	1,000
DARTMOUTH/XLP	NRC 32.24	1,000
EMORY/XLP	NRC 32.24	1,000
DUKE/XLP	NRC 36.28	1,000
FURMAN/XLP	NRC 36.28	1,000
SEWANEE/XLP	NRC 40.24	1,000
FORDHAM/XLP	NRC 48.28	1,000



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Yellow Stripes

Specification ICEA S-105-692

Refer to Alcan Cable Specification #AC-001 for Product Specifications

<b>Duplex with a Tristriple Neutral (EYS)</b>							
CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Phase Conductor		Aluminum Neutral Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Inches	Size AWG/KCMIL	Insulation Thickness Inches	Aluminum	Total
		CLAFLIN / XLP	<b>611.00</b>	6	0.060	6	0.060
DELGADO / XLP	<b>763.00</b>	4	0.060	4	0.060	77	129
EVERETT / XLP	<b>776.00</b>	2	0.060	2	0.060	123	189
<b>Triplex with a Tristriple Neutral (EYS)</b>							
ERSKINE / XLP	<b>858.00</b>	6	0.060	6	0.060	73	136
VASSAR / XLP	<b>1,015.00</b>	4	0.060	4	0.060	116	194
STEPHENS / XLP	<b>1,220.00</b>	2	0.060	4	0.060	162	252
RAMAPO / XLP	<b>1,245.00</b>	2	0.060	2	0.060	184	281
BRENAU / XLP	<b>1,569.00</b>	1/0	0.080	2	0.060	257	392
BERGEN / XLP	<b>1,711.00</b>	1/0	0.080	1/0	0.080	293	447
FISK / XLP	<b>1,729.00</b>	2/0	0.080	2	0.060	308	454
CONVERSE / XLP	<b>1,793.00</b>	2/0	0.080	1	0.080	323	484
HUNTER / XLP	<b>1,935.00</b>	2/0	0.080	2/0	0.080	369	540
HOLLINS / XLP	<b>2,172.00</b>	3/0	0.080	1/0	0.080	408	586
ROCKLAND / XLP	<b>2,534.00</b>	3/0	0.080	3/0	0.080	466	656
SWEETBRIAR / XLP	<b>2,440.00</b>	4/0	0.080	2/0	0.080	514	713
MONMOUTH / XLP	<b>2,731.00</b>	4/0	0.080	4/0	0.080	587	799
AQUINAS / XLP	<b>3,106.00</b>	250	0.095	2/0	0.080	585	822
PRATT / XLP	<b>3,331.00</b>	250	0.095	3/0	0.080	618	857
WESLEYAN / XLP	<b>4,142.00</b>	350	0.095	4/0	0.080	843	1118
NEWARK / XLP	<b>5,104.00</b>	350	0.095	350	0.095	971	1278
RIDER / XLP	<b>5,848.00</b>	500	0.095	350	0.095	1248	1591
WESTCHESTER / XLP	<b>6,383.00</b>		0.095	500	0.095	1384	1745
FAIRFIELD / XLP	<b>8,462.00</b>	750	0.110	500	0.095	1850	2304

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors-- 90°C

Extruded Yellow Stripes

Specification ICEA S-105-692

Refer to Alcan Cable Specification #AC-001 for Product Specifications

<b><i>Duplex with a Tristriple Neutral (EYS)</i></b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
CLAFLIN / XLP	NRC 30.11	1,000
DELGADO / XLP	NRC 30.14	1,000
EVERETT / XLP	NRC 30.18	1,000
<b><i>Triplex with a Tristriple Neutral (EYS)</i></b>		
ERSKINE / XLP	NRC 30.11	1,000
VASSAR / XLP	NRC 30.18	1,000
STEPHENS / XLP	NRC 22.24	1,000
RAMAPO / XLP	NRC 32.24	1,000
BRENAU / XLP	NRC 34.26	1,000
BERGEN / XLP	NRC 36.28	1,000
FISK / XLP	NRC 40.24	1,000
CONVERSE / XLP	NRC 40.24	1,000
HUNTER / XLP	NRC 40.24	1,000
HOLLINS / XLP	NRC 42.26	1,000
ROCKLAND / XLP	NRC 42.28	1,000
SWEETBRIAR / XLP	NRC 42.28	1,000
MONMOUTH / XLP	NRC 42.28	1,000
AQUINAS / XLP	NRC 50.32	1,000
PRATT / XLP	NRC 50.32	1,000
WESLEYAN / XLP	NRC 50.32	1,000
NEWARK / XLP	NRC 54.32	1,000
RIDER / XLP	NRC 60.28	1,000
WESTCHESTER / XLP	NRC 68.28	1,000
FAIRFIELD / XLP	NRC 68.38	1,000



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Yellow Stripes

Specification: ICEA S-105-692

Refer to Alcan Cable Specification Sheet #AC-0001 for Product Specifications

<b>Quadruplex with a Tristribe Neutral (EYS)</b>							
CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Phase Conductor		Aluminum Neutral Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Inches	Size AWG/KCMIL	Insulation Thickness Inches	Aluminum	Total
TULSA / XLP	<b>1,328.00</b>	4	0.060	4	0.060	154	258
DYKE / XLP	<b>1,608.00</b>	2	0.060	4	0.060	223	346
WITTENBERG / XLP	<b>1,636.00</b>	2	0.060	2	0.060	246	375
NOTRE DAME / XLP	<b>2,179.00</b>	1/0	0.080	2	0.060	354	541
PURDUE / XLP	<b>2,321.00</b>	1/0	0.080	1/0	0.060	390	596
SYRACUSE / XLP	<b>2,525.00</b>	2/0	0.080	1	0.080	446	664
LAFAYETTE / XLP	<b>2,833.00</b>	2/0	0.080	2/0	0.080	492	720
SWARTHMORE / XLP	<b>3,427.00</b>	3/0	0.080	1/0	0.080	563	805
DAVIDSON / XLP	<b>3,644.00</b>	3/0	0.080	3/0	0.080	618	874
WAKE FOREST XLP	<b>3,634.00</b>	4/0	0.080	2/0	0.080	709	979
EARLHAM / XLP	<b>3,696.00</b>	4/0	0.080	4/0	0.080	783	1066
RUST / XLP	<b>4,717.00</b>	250	0.095	3/0	0.080	849	1176
SLIPPERY ROCK / XLP	<b>6,332.00</b>	350	0.095	4/0	0.080	1166	1544
NIAGARA / XLP	<b>7,151.00</b>	350	0.095	350	0.095	1294	1704
WOFFORD / XLP	<b>8,463.00</b>	500	0.095	350	0.095	1710	2174
MARSHALL / XLP	<b>9,309.00</b>	500	0.095	500	0.095	1850	2332
WINDHAM / XLP	<b>12,638.00</b>	750	0.110	500	0.095	2542	3147
TABOR / XLP	<b>13,724.00</b>	750	0.110	750	0.110	2773	3440

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Yellow Stripes

Specification: ICEA S-105-692

Refer to Alcan Cable Specification Sheet #AC-0001 for Product Specifications

<b>Quadruplex with a Tristribe Neutral (EYS)</b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
TULSA / XLP	NRC 32.24	1,000
DYKE / XLP	NRC 32.24	1,000
WITTENBERG / XLP	NRC 32.28	1,000
NOTRE DAME / XLP	NRC 40.24	1,000
PURDUE / XLP	NRC 42.26	1,000
SYRACUSE / XLP	NRC 42.26	1,000
LAFAYETTE / XLP	NRC 42.28	1,000
SWARTHMORE / XLP	NRC 42.28	1,000
DAVIDSON / XLP	NRC 42.28	1,000
WAKE FOREST / XLP	NRC 50.32	1,000
EARLHAM / XLP	NRC 50.32	1,000
RUST / XLP	NRC 54.32	1,000
SLIPPERY ROCK / XLP	NRC 60.28	1,000
NIAGARA / XLP	NRC 60.28	1,000
WOFFORD / XLP	NRC 66.32	1,000
MARSHALL / XLP	NRC 66.32	1,000
WINDHAM / XLP	NRC 72.38	1,000
TABOR / XLP	NRC 72.38	1,000



## Alhide 600 Volt Underground - Single Conductor Aluminum Distribution Cable

Ruggedized Single Layer -- 90°C  
 High Density Crosslinked Polyethylene  
 Specification ICEA S-81-570

CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Inches	Aluminum	Total
		PRINCETON/ALHIDE	<b>426.00</b>	6	0.060
MERCER/ALHIDE	<b>445.00</b>	4	0.060	39	64
CLEMSON/ALHIDE	<b>548.00</b>	2	0.060	62	93
KENYON/ALHIDE	<b>601.00</b>	1	0.080	78	124
HARVARD/ALHIDE	<b>717.00</b>	1/0	0.080	99	148
YALE/ALHIDE	<b>812.00</b>	2/0	0.080	125	178
TUFTS/ALHIDE	<b>860.00</b>	3/0	0.080	157	217
BELOIT/ALHIDE	<b>1,008.00</b>	4/0	0.080	198	265
HOFSTRA/ALHIDE	<b>1,438.00</b>	250	0.095	234	317
GONZAGA/ALHIDE	<b>1,508.00</b>	300	0.095	282	371
RUTGERS/ALHIDE	<b>1,798.00</b>	350	0.095	328	425
DARTMOUTH/ALHIDE	<b>1,896.00</b>	400	0.095	375	477
EMORY/ALHIDE	<b>2,167.00</b>	500	0.095	469	582
DUKE/ALHIDE	<b>3,118.00</b>	600	0.110	563	704
FURMAN/ALHIDE	<b>3,137.00</b>	700	0.110	657	808
SEWANEE/ALHIDE	<b>3,241.00</b>	750	0.110	704	860
FORDHAM/ALHIDE	<b>4,239.00</b>	1000	0.110	939	1117

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



**Alhide 600 Volt Underground - Single Conductor  
 Aluminum Distribution Cable**

Ruggedized Single Layer -- 90°C  
 High Density Crosslinked Polyethylene  
 Specification ICEA S-81-570

<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
PRINCETON/ALHIDE	NRC 16.15	1,000
MERCER/ALHIDE	NRC 24.10	1,000
CLEMSON/ALHIDE	NRC 30.11	1,000
KENYON/ALHIDE	NRC 30.11	1,000
HARVARD/ALHIDE	NRC 30.11	1,000
YALE/ALHIDE	NRC 30.11	1,000
TUFTS/ALHIDE	NRC 30.11	1,000
BELOIT/ALHIDE	NRC 30.14	1,000
HOFSTRA/ALHIDE	NRC 30.18	1,000
GONZAGA/ALHIDE	NRC 30.18	1,000
RUTGERS/ALHIDE	NRC 32.24	1,000
DARTMOUTH/ALHIDE	NRC 32.24	1,000
EMORY/ALHIDE	NRC 32.24	1,000
DUKE/ALHIDE	NRC 36.28	1,000
FURMAN/ALHIDE	NRC 36.28	1,000
SEWANEE/ALHIDE	NRC 40.24	1,000
FORDHAM/ALHIDE	NRC 48.28	1,000



## Alhide 600 Volt Underground Aluminum Distribution Cable

Ruggedized Single Layer -- 90°C  
 High Density Crosslinked Polyethylene  
 Specification ICEA S-81-570

<b>Duplex with a Tristribe Neutral (EYS)</b>							
<b>CODE WORD</b>	<b>BASE PRICE PER 1000 FEET (1) (2)</b>	<b>Aluminum Phase Conductor</b>		<b>Aluminum Neutral Conductor</b>		<b>Approximate Net Weight, Lbs. Per 1000 Feet</b>	
		<b>Size AWG/KCMIL</b>	<b>Insulation Thickness Mils</b>	<b>Size AWG/KCMIL</b>	<b>Insulation Thickness Mils</b>	<b>Aluminum</b>	<b>Total</b>
CLAFLIN / Alhide	<b>630.00</b>	6	60	6	60	49	93
DELGADO / Alhide	<b>762.00</b>	4	50	4	60	77	130
<b>Triplex with a Tristribe Neutral (EYS)</b>							
ERSKINE / Alhide	<b>886.00</b>	6	60	6	60	73	136
VASSAR / Alhide	<b>1,086.00</b>	4	50	4	60	116	192
STEPHENS / Alhide	<b>1,283.00</b>	2	60	4	60	162	251
RAMAPO / Alhide	<b>1,317.00</b>	2	60	2	60	184	281
BRENAU / Alhide	<b>1,616.00</b>	1/0	60	2	80	257	390
BERGEN / Alhide	<b>1,892.00</b>	1/0	80	1/0	80	293	446
CONVERSE / Alhide	<b>1,848.00</b>	2/0	80	1	80	323	482
HUNTER / Alhide	<b>2,093.00</b>	2/0	80	2/0	80	369	538
HOLLINS / Alhide	<b>2,310.00</b>	3/0	80	1/0	80	408	584
ROCKLAND / Alhide	<b>2,692.00</b>	3/0	80	3/0	80	466	655
SWEETBRIAR / Alhide	<b>2,513.00</b>	4/0	80	2/0	80	514	711
MONMOUTH / Alhide	<b>2,935.00</b>	4/0	80	4/0	80	587	797
PRATT / Alhide	<b>3,517.00</b>	250	95	3/0	80	618	855
WESLEYAN / Alhide	<b>4,264.00</b>	350	95	4/0	80	843	1116
NEWARK / Alhide	<b>5,188.00</b>	350	95	350	95	971	1275
RIDER / Alhide	<b>6,027.00</b>	500	95	350	95	1248	1576
WESTCHESTER / Alhide	<b>6,572.00</b>	500	95	500	95	1384	1727
VILLANOVA / Alhide	<b>8,242.00</b>	750	110	350	95	1706	2140
SETON HALL / Alhide	<b>9,979.00</b>	750	110	750	110	2080	2580

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



## Alhide 600 Volt Underground Aluminum Distribution Cable

Ruggedized Single Layer --90°C  
 High Density Crosslinked Polyethylene  
 Ruggedized Single Layer -- 90°C

<b>Duplex with a Tristriple Neutral (EYS)</b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
CLAFLIN / Alhide	NRC 30.11	1,000
DELGADO / Alhide	NRC 30.14	1,000
<b>Triplex with a Tristriple Neutral (EYS)</b>		
ERSKINE / Alhide	NRC 30.18	1,000
VASSAR / Alhide	NRC 30.18	1,000
STEPHENS / Alhide	NRC 32.24	1,000
RAMAPO / Alhide	NRC 32.24	1,000
BRENAU / Alhide	NRC 34.26	1,000
BERGEN / Alhide	NRC 36.28	1,000
CONVERSE / Alhide	NRC 40.26	1,000
HUNTER / Alhide	NRC 40.26	1,000
HOLLINS / Alhide	NRC 42.26	1,000
ROCKLAND / Alhide	NRC 42.28	1,000
SWEETBRIAR / Alhide	NRC 42.28	1,000
MONMOUTH / Alhide	NRC 48.28	1,000
PRATT / Alhide	NRC 50.32	1,000
WESLEYAN / Alhide	NRC 50.32	1,000
NEWARK / Alhide	NRC 60.28	1,000
RIDER / Alhide	NRC 60.28	1,000
WESTCHESTER / Alhide	NRC 66.28	1,000
VILLANOVA / Alhide	NRC 68.38	1,000
SETON HALL / Alhide	NRC 68.38	1,000



## Alhide 600 Volt Underground Aluminum Distribution Cable

Ruggedized Single Layer -- 90°C  
 High Density Crosslinked Polyethylene  
 Specification ICEA S-81-570

<b>Quadruplex with a Tristriple Neutral (EYS)</b>							
CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Phase Conductor		Aluminum Neutral Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Mils	Size AWG/KCMIL	Insulation Thickness Mils	Aluminum	Total
		TULSA / Alhide	<b>1396.00</b>	4	60	4	60
DYKE / Alhide	<b>1656.00</b>	2	60	4	60	223	342
WITTENBERG / Alhide	<b>1701.00</b>	2	60	2	60	246	371
NOTRE DAME / Alhide	<b>2409.00</b>	1/0	80	2	60	354	539
PURDUE / Alhide	<b>2578.00</b>	1/0	80	1/0	80	390	591
SYRACUSE / Alhide	<b>2632.00</b>	2/0	80	1	80	446	658
LAFAYETTE / Alhide	<b>2977.00</b>	2/0	80	2/0	80	492	714
SWARTHMORE / Alhide	<b>3782.00</b>	3/0	80	1/0	80	563	806
DAVIDSON / Alhide	<b>4024.00</b>	3/0	80	3/0	80	618	868
WAKE FOREST / Alhide	<b>3744.00</b>	4/0	80	2/0	80	709	978
EARLHAM / Alhide	<b>4006.00</b>	4/0	80	4/0	80	783	1062
RUST / Alhide	<b>4814.00</b>	250	95	3/0	80	849	1171
SLIPPERY ROCK / Alhide	<b>6523.00</b>	350	95	4/0	80	1166	1538
NIAGARA / Alhide	<b>7437.00</b>	350	95	350	95	1294	1699
WOFFORD / Alhide	<b>8708.00</b>	500	95	350	95	1710	2156
MARSHALL / Alhide	<b>9590.00</b>	500	95	500	95	1850	2312

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page

## Alhide 600 Volt Underground Aluminum Distribution Cable

Ruggedized Single Layer -- 90°C  
 High Density Crosslinked Polyethylene  
 Specification ICEA S-81-570



<b>Quadruplex with a Tristribe Neutral (EYS)</b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
TULSA / Alhide	NRC 32.24	1,000
DYKE / Alhide	NRC 32.24	1,000
WITTENBERG / Alhide	NRC 32.24	1,000
NOTRE DAME / Alhide	NRC 42.26	1,000
PURDUE / Alhide	NRC 42.26	1,000
SYRACUSE / Alhide	NRC 42.26	1,000
LAFAYETTE / Alhide	NRC 42.28	1,000
SWARTHMORE / Alhide	NRC 48.28	1,000
DAVIDSON / Alhide	NRC 48.28	1,000
WAKE FOREST / Alhide	NRC 50.32	1,000
EARLHAM / Alhide	NRC 50.32	1,000
RUST / Alhide	NRC 54.32	1,000
SLIPPERY ROCK / Alhide	NRC 60.28	1,000
NIAGARA / Alhide	NRC 60.28	1,000
WOFFORD / Alhide	NRC 66.32	1,000
MARSHALL / Alhide	NRC 66.32	1,000



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors 90°C

Extruded Tristribe Neutral

Specification ICEA S-105-692

Refer to Alcan Cable Specification #AC-001 for Product Specifications

<b>Triplex with a Tristribe Neutral (EYS)</b>							
CODE WORD	BASE PRICE PER 1000 FEET (1) (2)	Aluminum Phase Conductor		Aluminum Neutral Conductor		Approximate Net Weight, Lbs. Per 1000 Feet	
		Size AWG/KCMIL	Insulation Thickness Inches	Size AWG/KCMIL	Insulation Thickness Inches	Aluminum	Total
VASSAR / USE-2/RHH/RHW-2	<b>1,128.00</b>	4	0.060	4	0.060	116	194
STEPHENS / USE-2/RHH/RHW-2	<b>1,340.00</b>	2	0.060	4	0.060	162	252
RAMAPO / USE-2/RHH/RHW-2	<b>1,411.00</b>	2	0.060	2	0.060	184	281
BRENAU / USE-2/RHH/RHW-2	<b>1,685.00</b>	1/0	0.080	2	0.060	257	392
CONVERSE / USE-2/RHH/RHW-2	<b>1,953.00</b>	2/0	0.080	1	0.080	323	484
SWEETBRIAR / USE-2/RHH/RHW-2	<b>2,623.00</b>	4/0	0.080	2/0	0.080	524	713
MONMOUTH / USE-2/RHH/RHW-2	<b>2,984.00</b>	4/0	0.080	4/0	0.080	587	799
PRATT / USE-2/RHH/RHW-2	<b>3,579.00</b>	250	0.095	3/0	0.080	618	857
WESLEYAN / USE/2-RHH/RHW-2	<b>4,451.00</b>	350	0.095	4/0	0.080	843	1118
<b>Quadruplex with a Tristribe Neutral (EYS)</b>							
SLIPPERY ROCK / USE/RHH/RHW-2	<b>6,817.00</b>	350	0.095	4/0	0.080	1166	1544

1. Prices for other constructions available on inquiry
2. Packaging information is shown on reverse side of this page



## 600 Volt Aluminum Underground Distribution Cable

Black Cross-Linked Polyethylene Insulated Phase Conductors-- 90°C

Extruded Tristripe Neutral

Specification ICEA S-105-692

Refer to Alcan Cable Specification #AC-001 for Product Specifications

<b><i>Triplex with a Tristripe Neutral (EYS)</i></b>		
<b>CODE WORD</b>	<b>Package Type/Size</b>	<b>Footage</b>
VASSAR / USE-2/RHH/RHW-2	NRC 30.18	1,000
STEPHENS / USE-2/RHH/RHW-2	NRC 22.24	1,000
RAMAPO / USE-2/RHH/RHW-2	NRC 32.24	1,000
BRENAU / USE-2/RHH/RHW-2	NRC 34.26	1,000
CONVERSE / USE-2/RHH/RHW-2	NRC 40.24	1,000
SWEETBRIAR / USE-2/RHH/RHW-2	NRC 42.28	1,000
MONMOUTH / USE-2/RHH/RHW-2	NRC 42.28	1,000
PRATT / USE-2/RHH/RHW-2	NRC 50.32	1,000
WESLEYAN / USE-2/RHH/RHW-2	NRC 50.32	1,000
<b><i>Quadruplex with a Tristripe Neutral (EYS)</i></b>		
SLIPPERY ROCK / USE-2/RHH/RHW-2	NRC 60.28	1,000